



# Safety Data Sheet

Issue Date 27-Dec-2011

Revision Date: 18-Oct-2013

Version 1

## 1. IDENTIFICATION

### Product Identifier

**Product Name** Buckeye Sanicare Quat-256

### Other means of identification

**SDS #** BE-5090

**UN/ID No** UN1760

**Product Code** 5090

### Recommended use of the chemical and restrictions on use

**Recommended Use** Cleaner. Disinfectant. Waterbased.

### Details of the supplier of the safety data sheet

#### **Supplier Address**

Buckeye International, Inc.  
2700 Wagner Place  
Maryland Heights, MO 63043 USA

### Emergency Telephone Number

**Company Phone Number** 1-651-632-8956 (International)  
(Medical) 1-800-303-0441 (North America)

**Emergency Telephone (24 hr)** INFOTRAC 1-352-323-3500 (International)  
(Transportation) 1-800-535-5053 (North America)

## 2. HAZARDS IDENTIFICATION

**Appearance** Clear red liquid

**Physical State** Liquid

**Odor** Rose

### Classification

Skin corrosion/irritation	Category 1 Sub-category C
Serious eye damage/eye irritation	Category 1

### Hazards Not Otherwise Classified (HNOC)

May be harmful if swallowed

### Signal Word

**Danger**

### Hazard Statements

Causes severe skin burns and eye damage

**Precautionary Statements - Prevention**

Do not breathe dust/fume/gas/mist/vapors/spray  
 Wash face, hands and any exposed skin thoroughly after handling  
 Wear protective gloves/protective clothing/eye protection/face protection

**Precautionary Statements - Response**

IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing  
 Immediately call a POISON CENTER or doctor/physician  
 IF ON SKIN (or hair): Remove/Take off immediately all contaminated clothing. Rinse skin with water/shower  
 Wash contaminated clothing before reuse  
 IF INHALED: Remove victim to fresh air and keep at rest in a position comfortable for breathing  
 IF SWALLOWED: rinse mouth. Do NOT induce vomiting

**Precautionary Statements - Storage**

Store locked up

**Precautionary Statements - Disposal**

Dispose of contents/container to an approved waste disposal plant

**Other Hazards**

Harmful to aquatic life with long lasting effects

### 3. COMPOSITION/INFORMATION ON INGREDIENTS

Chemical Name	CAS No	Weight-%
Water	7732-18-5	>61.1
N,N-DIMETHYLOCTYLAMINE-N-OXIDE	2605-78-9	<10
Didecyldimethylammonium chloride	7173-51-5	<16.9
Alkyl dimethyl benzyl ammonium chloride (C12-16)	68424-85-1	<16.9
Tetrasodium EDTA	64-02-8	<5
Ethyl Alcohol	64-17-5	<4
Sodium hydroxide	1310-73-2	<2

### 4. FIRST-AID MEASURES

**First Aid Measures**

<b>General Advice</b>	Call a poison center or doctor immediately for treatment advice.
<b>Eye Contact</b>	Rinse immediately with plenty of water, also under the eyelids, for at least 15 minutes. Seek immediate medical attention/advice.
<b>Skin Contact</b>	Wash off immediately with plenty of water for at least 15 minutes. Take off contaminated clothing. Wash contaminated clothing before reuse.
<b>Inhalation</b>	Remove to fresh air. If not breathing, give artificial respiration.
<b>Ingestion</b>	Have person sip a glass of water if able to swallow. Do not induce vomiting without medical advice. Never give anything by mouth to an unconscious person.

**Most important symptoms and effects**

<b>Symptoms</b>	Contact may cause irritation and redness. Direct eye contact may cause stinging, tearing and redness. May cause redness, pain, and severe skin burns. May cause irritation to the mucous membranes and upper respiratory tract. Ingestion may cause nausea and headache.
-----------------	--

**Indication of any immediate medical attention and special treatment needed**

<b>Notes to Physician</b>	Treat symptomatically. If the product is ingested, probable mucosal damage may contraindicate the use of gastric lavage. Measures against circulatory shock, respiratory depression, and convulsions may be needed.
---------------------------	---

**5. FIRE-FIGHTING MEASURES****Suitable Extinguishing Media**

Water spray (fog). Dry powder. Foam.

**Unsuitable Extinguishing Media** Not determined.

**Specific Hazards Arising from the Chemical**

Toxic fumes may be given off when material is exposed to fire.

**Hazardous Combustion Products** Carbon oxides. Nitrogen oxides (NOx). Hydrogen chloride.

**Protective equipment and precautions for firefighters**

As in any fire, wear self-contained breathing apparatus pressure-demand, MSHA/NIOSH (approved or equivalent) and full protective gear.

**6. ACCIDENTAL RELEASE MEASURES****Personal precautions, protective equipment and emergency procedures**

<b>Personal Precautions</b>	Use personal protective equipment as required.
-----------------------------	--

<b>Environmental Precautions</b>	Collect spillage.
----------------------------------	-------------------

**Methods and material for containment and cleaning up**

<b>Methods for Containment</b>	Prevent further leakage or spillage if safe to do so.
--------------------------------	---

<b>Methods for Clean-Up</b>	Pick up with mop, wet/dry vac, or absorbent material. Rinse area with clear water and allow floor to dry before allowing traffic.
-----------------------------	---

**7. HANDLING AND STORAGE****Precautions for safe handling**

<b>Advice on Safe Handling</b>	Keep out of the reach of children. Use personal protection recommended in Section 8. Do not breathe dust/fume/gas/mist/vapors/spray. Avoid release to the environment.
--------------------------------	--

**Conditions for safe storage, including any incompatibilities**

<b>Storage Conditions</b>	Keep containers tightly closed in a dry, cool and well-ventilated place. Store at room temperature. Keep container closed when not in use. Do not contaminate water, food, or feed by storage or disposal.
---------------------------	--

<b>Packaging Materials</b>	Rinse container before discarding.
----------------------------	------------------------------------

<b>Incompatible Materials</b>	Chlorine bleach. Anionic detergents. Strong oxidizing agents. Strong reducing agents.
-------------------------------	---

## 8. EXPOSURE CONTROLS/PERSONAL PROTECTION

### Exposure Guidelines

Chemical Name	ACGIH TLV	OSHA PEL	NIOSH IDLH
Ethyl Alcohol 64-17-5	STEL: 1000 ppm	TWA: 1000 ppm TWA: 1900 mg/m <sup>3</sup> (vacated) TWA: 1000 ppm (vacated) TWA: 1900 mg/m <sup>3</sup>	IDLH: 3300 ppm TWA: 1000 ppm TWA: 1900 mg/m <sup>3</sup>
Sodium hydroxide 1310-73-2	Ceiling: 2 mg/m <sup>3</sup>	TWA: 2 mg/m <sup>3</sup> (vacated) Ceiling: 2 mg/m <sup>3</sup>	IDLH: 10 mg/m <sup>3</sup> Ceiling: 2 mg/m <sup>3</sup>

### Appropriate engineering controls

**Engineering Controls** Apply technical measures to comply with the occupational exposure limits.

### Individual protection measures, such as personal protective equipment

**Eye/Face Protection** Splash goggles or safety glasses.

**Skin and Body Protection** Rubber gloves. Normal work clothing (long sleeved shirts and long pants) is recommended.

**Respiratory Protection** Ensure adequate ventilation, especially in confined areas.

**General Hygiene Considerations** Handle in accordance with good industrial hygiene and safety practice. Wash hands thoroughly after handling. Wash contaminated clothing before reuse.

## 9. PHYSICAL AND CHEMICAL PROPERTIES

### Information on basic physical and chemical properties

<b>Physical State</b>	Liquid	<b>Odor</b>	Rose
<b>Appearance</b>	Clear red liquid	<b>Odor Threshold</b>	Not determined
<b>Color</b>	Red		

<u>Property</u>	<u>Values</u>	<u>Remarks • Method</u>
<b>pH</b>	7.6 ± 0.2 (conc) 7.0 ± 0.2 (1:256 dilution)	
<b>Melting Point/Freezing Point</b>	Not determined	
<b>Boiling Point/Boiling Range</b>	100 °C / 212 °F	
<b>Flash Point</b>	~ 93.3 °C / ~ 200 °F	Tag Closed Cup
<b>Evaporation Rate</b>	1.0	(Water = 1)
<b>Flammability (Solid, Gas)</b>	n/a-liquid	
<b>Upper Flammability Limits</b>	Not applicable	
<b>Lower Flammability Limit</b>	Not applicable	
<b>Vapor Pressure</b>	Not determined	
<b>Vapor Density</b>	Not determined	
<b>Specific Gravity</b>	1.00	
<b>Water Solubility</b>	Infinite	
<b>Solubility in other solvents</b>	Not determined	
<b>Partition Coefficient</b>	Not determined	
<b>Auto-ignition Temperature</b>	Not determined	
<b>Decomposition Temperature</b>	Not determined	
<b>Kinematic Viscosity</b>	Not determined	
<b>Dynamic Viscosity</b>	Not determined	
<b>Explosive Properties</b>	Not determined	
<b>Oxidizing Properties</b>	Not determined	

## 10. STABILITY AND REACTIVITY

### Reactivity

Not reactive under normal conditions.

### Chemical Stability

Stable under recommended storage conditions.

### Possibility of Hazardous Reactions

None under normal processing.

#### **Hazardous Polymerization**

Hazardous polymerization does not occur.

### Conditions to Avoid

Keep out of reach of children.

### Incompatible Materials

Chlorine bleach. Anionic detergents. Strong oxidizing agents. Strong reducing agents.

### Hazardous Decomposition Products

Thermal decomposition can lead to release of irritating gases or vapors.

## 11. TOXICOLOGICAL INFORMATION

### Information on likely routes of exposure

#### **Product Information**

**Eye Contact** Causes severe eye damage.

**Skin Contact** Causes severe skin burns.

**Inhalation** Avoid breathing vapors or mists.

**Ingestion** May be harmful if swallowed.

### Component Information

Chemical Name	Oral LD50	Dermal LD50	Inhalation LC50
Didecyldimethylammonium chloride 7173-51-5	= 84 mg/kg ( Rat )	-	-
Alkyl dimethyl benzyl ammonium chloride (C12-16) 68424-85-1	= 426 mg/kg ( Rat )	-	-
Tetrasodium EDTA 64-02-8	= 10 g/kg ( Rat )	-	-
Ethyl Alcohol 64-17-5	= 7060 mg/kg ( Rat )	-	= 124.7 mg/L ( Rat ) 4 h
Sodium hydroxide 1310-73-2	-	= 1350 mg/kg ( Rabbit )	-

### Information on physical, chemical and toxicological effects

#### **Symptoms**

Please see section 4 of this SDS for symptoms.

**Delayed and immediate effects as well as chronic effects from short and long-term exposure****Carcinogenicity**

Ethanol has been shown to be carcinogenic in long-term studies only when consumed as an alcoholic beverage.

Chemical Name	ACGIH	IARC	NTP	OSHA
Ethyl Alcohol 64-17-5	A3	Group 1	Known	X

**Legend**

**ACGIH (American Conference of Governmental Industrial Hygienists)**

A3 - Animal Carcinogen

**IARC (International Agency for Research on Cancer)**

Group 1 - Carcinogenic to Humans

**NTP (National Toxicology Program)**

Known - Known Carcinogen

**OSHA (Occupational Safety and Health Administration of the US Department of Labor)**

X - Present

**Numerical measures of toxicity**

Not determined

**12. ECOLOGICAL INFORMATION****Ecotoxicity**

Harmful to aquatic life with long lasting effects.

Chemical Name	Algae/aquatic plants	Fish	Toxicity to microorganisms	Crustacea
Tetrasodium EDTA 64-02-8	1.01: 72 h Desmodesmus subspicatus mg/L EC50	41: 96 h Lepomis macrochirus mg/L LC50 static 59.8: 96 h Pimephales promelas mg/L LC50 static		610: 24 h Daphnia magna mg/L EC50
Ethyl Alcohol 64-17-5		12.0 - 16.0: 96 h Oncorhynchus mykiss mL/L LC50 static 100: 96 h Pimephales promelas mg/L LC50 static 13400 - 15100: 96 h Pimephales promelas mg/L LC50 flow-through		9268 - 14221: 48 h Daphnia magna mg/L LC50 10800: 24 h Daphnia magna mg/L EC50 2: 48 h Daphnia magna mg/L EC50 Static
Sodium hydroxide 1310-73-2		45.4: 96 h Oncorhynchus mykiss mg/L LC50 static		

**Persistence/Degradability**

Not determined

**Bioaccumulation**

Not determined

**Mobility**

Chemical Name	Partition Coefficient
Ethyl Alcohol 64-17-5	-0.32

**Other Adverse Effects**

Not determined

### 13. DISPOSAL CONSIDERATIONS

#### Waste Treatment Methods

<b>Disposal of Wastes</b>	Disposal should be in accordance with applicable regional, national and local laws and regulations.
<b>Contaminated Packaging</b>	Disposal should be in accordance with applicable regional, national and local laws and regulations.

#### California Hazardous Waste Status

Chemical Name	California Hazardous Waste Status
Ethyl Alcohol 64-17-5	Toxic Ignitable
Sodium hydroxide 1310-73-2	Toxic Corrosive

### 14. TRANSPORT INFORMATION

**Note** Please see current shipping paper for most up to date shipping information, including exemptions and special circumstances.

#### DOT

<b>UN/ID No</b>	UN1760
<b>Proper Shipping Name</b>	Corrosive liquid, n.o.s. (Dimethyl benzyl ammonium chloride, Sodium hydroxide)
<b>Hazard Class</b>	8
<b>Packing Group</b>	III

#### IATA

<b>UN/ID No</b>	UN1760
<b>Proper Shipping Name</b>	Corrosive liquid, n.o.s. (Dimethyl benzyl ammonium chloride, Sodium hydroxide)
<b>Hazard Class</b>	8
<b>Packing Group</b>	III

#### IMDG

<b>UN/ID No</b>	UN1760
<b>Proper Shipping Name</b>	Corrosive liquid, n.o.s. (Dimethyl benzyl ammonium chloride, Sodium hydroxide)
<b>Hazard Class</b>	8
<b>Packing Group</b>	III
<b>Marine Pollutant</b>	This material may meet the definition of a marine pollutant

<b>15. REGULATORY INFORMATION</b>
-----------------------------------

**International Inventories**

Not determined

**US Federal Regulations****CERCLA**

Chemical Name	Hazardous Substances RQs	CERCLA/SARA RQ	Reportable Quantity (RQ)
Sodium hydroxide 1310-73-2	1000 lb		RQ 1000 lb final RQ RQ 454 kg final RQ

**SARA 311/312 Hazard Categories**

Acute Health Hazard

Yes

**SARA 313**

Not determined

**CWA (Clean Water Act)**

Component	CWA - Reportable Quantities	CWA - Toxic Pollutants	CWA - Priority Pollutants	CWA - Hazardous Substances
Sodium hydroxide 1310-73-2 (<2)	1000 lb			X

**US State Regulations****California Proposition 65**

This product contains the following Proposition 65 chemicals.

Chemical Name	California Proposition 65
Ethyl Alcohol - 64-17-5	Carcinogen Developmental

**U.S. State Right-to-Know Regulations**

Chemical Name	New Jersey	Massachusetts	Pennsylvania
Ethyl Alcohol 64-17-5	X	X	X
Sodium hydroxide 1310-73-2	X	X	X



**16. OTHER INFORMATION**

<b><u>NEPA</u></b>	<b>Health Hazards</b> 3	<b>Flammability</b> 1	<b>Instability</b> 0	<b>Special Hazards</b> Not determined
<b><u>HMIS</u></b>	<b>Health Hazards</b> Not determined	<b>Flammability</b> Not determined	<b>Physical Hazards</b> Not determined	<b>Personal Protection</b> Not determined

**Issue Date** 27-Dec-2011  
**Revision Date:** 18-Oct-2013  
**Revision Note** New format

**Disclaimer**

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text.

**End of Safety Data Sheet**