



# Safety Data Sheet

Issue Date: 27-Dec-2011

Revision Date: 20-Oct-2017

Version 2

## 1. IDENTIFICATION

### Product Identifier

**Product Name** Buckeye Shopmaster

### Other means of identification

**SDS #** BE-5770

**Product Code** 5770

### Recommended use of the chemical and restrictions on use

**Recommended Use** Heavy Duty Cleaner. Degreaser. Water based.

### Details of the supplier of the safety data sheet

#### **Supplier Address**

Buckeye International, Inc.  
2700 Wagner Place  
Maryland Heights, MO 63043 USA

### Emergency Telephone Number

**Company Phone Number** 1-314-291-1900

**Emergency Telephone (24 hr)** Transportation - INFOTRAC 1-352-323-3500 (International)

1-800-535-5053 (North America)

Medical - (International) 1-651-632-8956 (North America) 1-800-303-0441

## 2. HAZARDS IDENTIFICATION

**Appearance** Clear, yellow liquid

**Physical state** Liquid

**Odor** Floral

### Classification

Skin corrosion/irritation	Category 2
Serious eye damage/eye irritation	Category 2

### Signal Word

**Warning**

### Hazard statements

Causes skin irritation

Causes serious eye irritation



**Precautionary Statements - Prevention**

Wash face, hands and any exposed skin thoroughly after handling  
Wear protective gloves/protective clothing/eye protection/face protection

**Precautionary Statements - Response**

IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing  
If eye irritation persists: Get medical advice/attention  
IF ON SKIN: Gently wash with plenty of soap and water  
If skin irritation or rash occurs: Get medical advice/attention  
Take off contaminated clothing and wash before reuse

**Other hazards**

Harmful to aquatic life with long lasting effects

### 3. COMPOSITION/INFORMATION ON INGREDIENTS

Chemical Name	CAS No.	Weight-%
Glycol ether TPM	25498-49-1	<5
Dodecyl benzene sulfonic acid	27176-87-0	<5
Sodium metasilicate	6834-92-0	<3

\*\*If Chemical Name/CAS No is "proprietary" and/or Weight-% is listed as a range, the specific chemical identity and/or percentage of composition has been withheld as a trade secret.\*\*

### 4. FIRST AID MEASURES

**First Aid Measures**

<b>Eye Contact</b>	Rinse immediately with plenty of water, also under the eyelids, for at least 15 minutes. If eye irritation persists: Get medical advice/attention.
<b>Skin Contact</b>	Wash with soap and water. If skin irritation persists, call a physician.
<b>Inhalation</b>	Remove to fresh air.
<b>Ingestion</b>	Drink 2-3 large glasses of water. Do NOT induce vomiting. Never give anything by mouth to an unconscious person. Call a physician.

**Most important symptoms and effects**

<b>Symptoms</b>	Exposed individuals may experience eye tearing, redness, and discomfort. Causes skin irritation.
-----------------	--

**Indication of any immediate medical attention and special treatment needed**

<b>Notes to Physician</b>	Treat symptomatically.
---------------------------	------------------------

### 5. FIRE-FIGHTING MEASURES

**Suitable Extinguishing Media**

Use extinguishing measures that are appropriate to local circumstances and the surrounding environment.

**Unsuitable Extinguishing Media** Not determined.

**Specific Hazards Arising from the Chemical**

Combustion products may be toxic.

**Hazardous Combustion Products** Carbon oxides. Silicon oxides. Nitrogen oxides (NOx).

**Protective equipment and precautions for firefighters**

As in any fire, wear self-contained breathing apparatus pressure-demand, MSHA/NIOSH (approved or equivalent) and full protective gear.

## 6. ACCIDENTAL RELEASE MEASURES

**Personal precautions, protective equipment and emergency procedures**

**Personal Precautions** Use personal protective equipment as required.

**Environmental precautions****Methods and material for containment and cleaning up**

**Methods for Containment** Prevent further leakage or spillage if safe to do so.

**Methods for Clean-Up** Pick up with mop, wet/dry vac, or absorbent material. Rinse area with clear water and allow floor to dry before allowing traffic.

## 7. HANDLING AND STORAGE

**Precautions for safe handling**

**Advice on Safe Handling** Wash thoroughly after handling. Use personal protection recommended in Section 8. Keep out of the reach of children. If concentrated or diluted product is allowed to dry on glass, etching may occur.

**Conditions for safe storage, including any incompatibilities**

**Storage Conditions** Keep containers tightly closed in a dry, cool and well-ventilated place. Keep container closed when not in use. Store at room temperature.

**Packaging Materials** May damage some plastics.

**Incompatible Materials** Chlorine bleach.

## 8. EXPOSURE CONTROLS/PERSONAL PROTECTION

**Exposure Guidelines**

Chemical Name	ACGIH TLV	OSHA PEL	NIOSH IDLH
Sodium metasilicate 6834-92-0	2 mg/m <sup>3</sup>	2 mg/m <sup>3</sup>	-

**Appropriate engineering controls**

**Engineering Controls** Apply technical measures to comply with the occupational exposure limits.

**Individual protection measures, such as personal protective equipment**

**Eye/Face Protection** Risk of contact: Wear approved safety goggles.

**Skin and Body Protection** Wear rubber gloves or other impervious gloves. Footwear that keeps feet dry is suggested.

**Respiratory Protection** Refer to 29 CFR 1910.134 for respiratory protection requirements.

**General Hygiene Considerations** Wash hands thoroughly after handling.

## 9. PHYSICAL AND CHEMICAL PROPERTIES

### Information on basic physical and chemical properties

<b>Physical state</b>	Liquid	<b>Odor</b>	Floral
<b>Appearance</b>	Clear, yellow liquid	<b>Odor Threshold</b>	Not determined
<b>Color</b>	Yellow		

<u>Property</u>	<u>Values</u>	<u>Remarks • Method</u>
<b>pH</b>	12.3 ± 0.2 (conc) 11.2 ± 0.2 (1:10 dilution)	
<b>Melting Point/Freezing Point</b>	Not determined	
<b>Boiling Point/Boiling Range</b>	100 °C / 212 °F	
<b>Flash Point</b>	None	Tag Closed Cup
<b>Evaporation Rate</b>	1.0	(Water = 1)
<b>Flammability (Solid, Gas)</b>	n/a-liquid	
<b>Flammability Limits in Air</b>		
<b>Upper Flammability Limits</b>	Not applicable	
<b>Lower Flammability Limit</b>	Not applicable	
<b>Vapor Pressure</b>	Not determined	
<b>Vapor Density</b>	Not determined	
<b>Relative Density</b>	1.03	
<b>Water Solubility</b>	Infinite	
<b>Solubility in other solvents</b>	Not determined	
<b>Partition Coefficient</b>	Not determined	
<b>Auto-ignition Temperature</b>	Not determined	
<b>Decomposition Temperature</b>	Not determined	
<b>Kinematic Viscosity</b>	Not determined	
<b>Dynamic Viscosity</b>	Not determined	
<b>Explosive Properties</b>	Not determined	
<b>Oxidizing Properties</b>	Not determined	

## 10. STABILITY AND REACTIVITY

### Reactivity

Not reactive under normal conditions.

### Chemical Stability

Stable under recommended storage conditions.

### Possibility of Hazardous Reactions

None under normal processing.

<b>Hazardous Polymerization</b>	Hazardous polymerization does not occur.
---------------------------------	--

### Conditions to Avoid

Keep out of reach of children.

### Incompatible Materials

Chlorine bleach.

### Hazardous Decomposition Products

Carbon oxides. Nitrogen oxides (NOx). Silicon oxides.

## 11. TOXICOLOGICAL INFORMATION

### Information on likely routes of exposure

#### Product Information

<b>Eye Contact</b>	Causes serious eye irritation.
<b>Skin Contact</b>	Avoid contact with skin.
<b>Inhalation</b>	Avoid breathing vapors or mists.
<b>Ingestion</b>	Do not ingest.

### Component Information

Chemical Name	Oral LD50	Dermal LD50	Inhalation LC50
Propylene Glycol Phenyl Ether 770-35-4	= 2830 mg/kg ( Rat )	> 2 g/kg ( Rabbit )	-
Glycol ether TPM 25498-49-1	= 3200 mg/kg ( Rat )	= 15440 mg/kg ( Rabbit )	-
Dodecyl benzene sulfonic acid 27176-87-0	= 1260 mg/kg ( Rat )	631 - 1000 mg/kg ( Rabbit )	-
Sodium metasilicate 6834-92-0	= 1153 mg/kg ( Rat )	-	-

### Information on physical, chemical and toxicological effects

<b>Symptoms</b>	Please see section 4 of this SDS for symptoms.
-----------------	--

### Delayed and immediate effects as well as chronic effects from short and long-term exposure

<b>Carcinogenicity</b>	Based on the information provided, this product does not contain any carcinogens or potential carcinogens as listed by OSHA, IARC or NTP.
------------------------	---

### Numerical measures of toxicity

Not determined.

## 12. ECOLOGICAL INFORMATION

### Ecotoxicity

Harmful to aquatic life with long lasting effects.

Chemical Name	Algae/aquatic plants	Fish	Crustacea
Glycol ether TPM 25498-49-1		11619: 96 h Pimephales promelas mg/L LC50 static	10: 48 h Daphnia magna mg/L EC50
Dodecyl benzene sulfonic acid 27176-87-0	29: 96 h Pseudokirchneriella subcapitata mg/L EC50	3.5 - 10: 96 h Brachydanio rerio mg/L LC50 static 10.8: 96 h Oncorhynchus mykiss mg/L LC50 static	5.88: 48 h Daphnia magna mg/L EC50
Sodium metasilicate 6834-92-0		210: 96 h Brachydanio rerio mg/L LC50 semi-static 210: 96 h Brachydanio rerio mg/L LC50	216: 96 h Daphnia magna mg/L EC50

### Persistence/Degradability

Not determined.

### Bioaccumulation

Not determined.

**Mobility**

Not determined

**Other Adverse Effects**

Not determined

**13. DISPOSAL CONSIDERATIONS****Waste Treatment Methods****Disposal of Wastes**

Disposal should be in accordance with applicable regional, national and local laws and regulations.

**Contaminated Packaging**

Disposal should be in accordance with applicable regional, national and local laws and regulations.

**14. TRANSPORT INFORMATION****Note**

Please see current shipping paper for most up to date shipping information, including exemptions and special circumstances.

**DOT**

Not regulated

**IATA**

Not regulated

**IMDG****Marine Pollutant**

This material may meet the definition of a marine pollutant

**15. REGULATORY INFORMATION****International Inventories**

Chemical Name	TSCA	DSL/NDSL	EINECS/E LINCS	ENCS	IECSC	KECL	PICCS	AICS
Propylene Glycol Phenyl Ether	X	X	X	Present	X	Present	X	X
Glycol ether TPM	X	X	X	Present	X	Present	X	X
Dodecyl benzene sulfonic acid	X	X	X	Present	X	Present	X	X
Sodium metasilicate	X	X	X	Present	X	Present	X	X

**Legend:***TSCA - United States Toxic Substances Control Act Section 8(b) Inventory**DSL/NDSL - Canadian Domestic Substances List/Non-Domestic Substances List**EINECS/ELINCS - European Inventory of Existing Chemical Substances/European List of Notified Chemical Substances**ENCS - Japan Existing and New Chemical Substances**IECSC - China Inventory of Existing Chemical Substances**KECL - Korean Existing and Evaluated Chemical Substances**PICCS - Philippines Inventory of Chemicals and Chemical Substances**AICS - Australian Inventory of Chemical Substances***US Federal Regulations****CERCLA**

Does not apply

Chemical Name	Hazardous Substances RQs	CERCLA/SARA RQ	Reportable Quantity (RQ)
Dodecyl benzene sulfonic acid 27176-87-0	1000 lb		RQ 1000 lb final RQ RQ 454 kg final RQ

**SARA 311/312 Hazard Categories**

This material, as supplied, does not contain any substances subject to the requirements of SARA Sections 311/312 (40 CFR 370)

**SARA 313**

Section 313 of Title III of the Superfund Amendments and Reauthorization Act of 1986 (SARA). This product contains a chemical or chemicals which are subject to the reporting requirements of the Act and Title 40 of the Code of Federal Regulations, Part 372

Chemical Name	CAS No.	Weight-%	SARA 313 - Threshold Values %
Glycol ether TPM - 25498-49-1	25498-49-1	4.9	1.0

**CWA (Clean Water Act)**

Chemical Name	CWA - Reportable Quantities	CWA - Toxic Pollutants	CWA - Priority Pollutants	CWA - Hazardous Substances
Dodecyl benzene sulfonic acid	1000 lb			X

**US State Regulations****U.S. State Right-to-Know Regulations**

Chemical Name	New Jersey	Massachusetts	Pennsylvania
Glycol ether TPM 25498-49-1	X		X
Dodecyl benzene sulfonic acid 27176-87-0	X	X	X

## 16. OTHER INFORMATION

**NFPA****Health Hazards****Flammability****Instability****Special Hazards**

1

0

0

Not determined

**HMIS****Health Hazards****Flammability****Physical hazards****Personal Protection**

Not determined

Not determined

Not determined

Not determined

**Issue Date:**

27-Dec-2011

**Revision Date:**

20-Oct-2017

**Revision Note:**

Regulatory Update

**Disclaimer**

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text.

**End of Safety Data Sheet**