

## Grease Release

### SECTION 1. IDENTIFICATION

<b>Product Identifier</b>	Grease Release
<b>Other Means of Identification</b>	6030
<b>Other Identification</b>	UN3262
<b>Recommended Use</b>	Degreaser.
<b>Restrictions on Use</b>	No information available.
<b>Manufacturer/Supplier Identifier</b>	Sunburst Chemicals, Inc., 220 W. 86th St., Bloomington, MN, 55420, 952-884-3144
<b>Emergency Phone No.</b>	Emergency Telephone Number, 1-866-303-6943
<b>SDS No.</b>	0006

### SECTION 2. HAZARD IDENTIFICATION

Classified according to Canada's Hazardous Products Regulations (WHMIS 2015) and the US Hazard Communication Standard (HCS 2012).

#### Classification

Acute toxicity (Oral) - Category 4; Skin corrosion - Category 1A; Serious eye damage - Category 1

#### Label Elements



Signal Word:  
Danger

#### Hazard Statement(s):

Harmful if swallowed or in contact with skin.  
Causes severe skin burns and eye damage.

#### Precautionary Statement(s):

Prevention:  
Wear protective gloves/protective clothing/eye protection/face protection.  
Do not breathe dust/fume/gas/mist/vapours/spray.  
Wash hands and skin thoroughly after handling.

#### General Advice

IF exposed or concerned: Get medical attention/advice

Eyes

IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.  
Immediately call a POISON CENTRE or doctor.

Skin

IF ON SKIN (or hair): Take off immediately all contaminated clothing. Rinse skin with water or shower. Call a POISON CENTRE or doctor if you feel unwell.

Inhalation

IF INHALED: Remove person to fresh air and keep comfortable for breathing.

Ingestion

IF SWALLOWED: Immediately call a POISON CENTRE or doctor.  
IF SWALLOWED: Rinse mouth. Do NOT induce vomiting.

Storage:

Store locked up.  
Store in a well-ventilated place. Keep container tightly closed.

Disposal:

Dispose of contents and container in accordance with local, regional, national and international regulations.

**Other Hazards**

Not applicable.

-----  
PRODUCT AT USE DILUTION

Classification Category of Use Dilution:

Acute toxicity (Oral) - Category 4. Skin corrosion - Category 1; Serious eye damage - Category 1

Signal Word    Danger

Hazard Statements

Causes severe skin burns and eye damage

Precautionary Statement(s):

Prevention:

Wash hands and skin thoroughly after handling.  
Wear protective gloves / protective clothing / eye protection / face protection

General Response:

IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. Immediately call a POISON CENTRE or doctor/physician.

IF ON SKIN: Wash with plenty of water. Take off contaminated clothing and wash it before reuse.

IF INHALED: Remove victim to fresh air and keep at rest in a position comfortable for breathing. Call a POISON CENTRE or doctor / physician if you feel unwell.

IF SWALLOWED: Rinse mouth, sip a glass of water if able to do so. Do NOT induce vomiting. Call a POISON CENTRE or doctor/physician if you feel unwell.

Storage:

Store in accordance with local regulations.  
-----

---

Product Identifier:            Grease Release - Ver. 6

Date of Preparation:

Date of Last Revision:      October 24, 2019

### SECTION 3. COMPOSITION/INFORMATION ON INGREDIENTS

Chemical Name	CAS No.	%	Other Identifiers	Other Names
2-Butoxyethanol	111-76-2	25-35		
Benzenesulfonic acid, C10-16-alkyl derivatives	68584-22-5	20-30		
Potassium hydroxide	1310-58-3	10-30		
Sodium Xylene Sulfonate	1300-72-7	10-20		
Mixed Ethoxylated Alcohol	proprietary	5-10		

#### Notes

#### PRODUCT AT USE DILUTION

Contains ingredients listed above at weight % less than 0.5%

### SECTION 4. FIRST-AID MEASURES

#### First-aid Measures

##### Inhalation

Remove source of exposure or move to fresh air. Get medical advice or attention if you feel unwell or are concerned.

##### Skin Contact

Wash gently and thoroughly with lukewarm, gently flowing water and mild soap for 5 minutes. Thoroughly clean clothing, shoes and leather goods before reuse or dispose of safely. Call a Poison Centre or doctor if you feel unwell.

##### Eye Contact

Immediately rinse the contaminated eye(s) with lukewarm, gently flowing water for 15-20 minutes, while holding the eyelid(s) open. Seek immediate medical attention/advice.

##### Ingestion

Do NOT induce vomiting. Drink plenty of water. Never give anything by mouth to an unconscious person. If symptoms persist, call a physician.

##### First-aid Comments

Get medical advice or attention if you feel unwell or are concerned.

-----  
**PRODUCT AT USE DILUTION**

##### EYE CONTACT:

Rinse immediately with plenty of water, also under the eyelids, for at least 15 minutes. Seek immediate medical attention / advice.

##### SKIN CONTACT:

Wash off immediately with plenty of water for at least 15 minutes. Use mild soap if available. Get medical attention if irritation develops and persists.

##### INHALATION:

Get medical attention if symptoms occur.

##### INGESTION:

Do NOT induce vomiting. Drink plenty of water. Never give anything by mouth to an unconscious person. Seek immediate medical attention / advice.

-----  
**Most Important Symptoms and Effects, Acute and Delayed**

None known.

#### Immediate Medical Attention and Special Treatment

Product Identifier: Grease Release - Ver. 6

Date of Preparation:

Date of Last Revision: October 24, 2019

Page 03 of 09

## Special Instructions

Treat symptomatically.

## SECTION 5. FIRE-FIGHTING MEASURES

### Extinguishing Media

#### Suitable Extinguishing Media

Water. Carbon dioxide (CO<sub>2</sub>). Dry chemical.

#### Unsuitable Extinguishing Media

None known.

### Specific Hazards Arising from the Product

Not sensitive to static discharge.

Not sensitive to mechanical impact.

### Special Protective Equipment and Precautions for Fire-fighters

As in any fire, wear self-contained breathing apparatus pressure-demand, MSHA/NIOSH (approved or equivalent) and full protective gear.

As in any fire, wear self-contained breathing apparatus pressure-demand, MSHA/NIOSH (approved or equivalent) and full protective gear.

## SECTION 6. ACCIDENTAL RELEASE MEASURES

### Personal Precautions, Protective Equipment, and Emergency Procedures

Avoid contact with skin, eyes and clothing. Do not breathe spray mist. Ensure adequate ventilation. Use personal protective equipment. If spilled, take caution, as material can cause surfaces to become slippery.

### Environmental Precautions

Avoid release to the environment. Collect spillage. See Section 12 for additional Ecological Information. Dispose of contents/container to an approved waste disposal plant.

### Methods and Materials for Containment and Cleaning Up

Contain and soak up spill with absorbent that does not react with spilled product.

Collect and reuse if possible. Following product recovery, flush area with water.

### Other Information

---

#### PRODUCT AT USE DILUTION

Personal precautions, protective equipment and emergency procedures:

Avoid contact with skin, eyes and clothing. Do not breathe spray mist. Ensure adequate ventilation. Use personal protective equipment. Solution can cause surfaces to become slippery

Environmental precautions:

Avoid release to the environment. Rinse or mop up use solutions. Solutions may be flushed down sanitary sewer drains.

Methods and materials for containment and cleaning up:

Stop leak if safe to do so. Contain spillage, and then collect with noncombustible absorbent material, (e.g. sand, earth, diatomaceous earth, vermiculite) and place in container for disposal according to local / national regulations (see section 13). For large spills, dike spilled material or otherwise contain material to ensure runoff does not reach a waterway.

---

## SECTION 7. HANDLING AND STORAGE

### Precautions for Safe Handling

Handle in accordance with good industrial hygiene and safety practice. Ensure adequate ventilation. Avoid contact with skin, eyes and clothing. Do not breathe vapours or spray mist. Do not eat, drink or smoke when using this product, or its use solutions.

---

Product Identifier: Grease Release - Ver. 6

Date of Preparation:

Date of Last Revision: October 24, 2019

Page 04 of 09

## Conditions for Safe Storage

Keep container tightly closed. Keep container closed when not in use. Keep out of the reach of children.

### PRODUCT AT USE DILUTION

Precautions for Safe Handling:

Avoid contact with skin and eyes. Wash hands thoroughly after handling.

Conditions for Safe Storage:

Keep out of reach of children. Store in suitable labeled containers.

## SECTION 8. EXPOSURE CONTROLS/PERSONAL PROTECTION

### Control Parameters

Chemical Name	ACGIH TLV®		OSHA PEL		AIHA WEEL	
	TWA	STEL	TWA	Ceiling	8-hr TWA	TWA
Potassium hydroxide	2 mg/m <sup>3</sup>			2 mg/m <sup>3</sup>		
2-Butoxyethanol	20 ppm		50 ppm			

A3 = Animal carcinogen.

### Appropriate Engineering Controls

Provide eyewash in work area, if contact or splash hazard exists.

### Individual Protection Measures

#### Eye/Face Protection

Not required but it is good practice to wear safety glasses or chemical safety goggles.

#### Skin Protection

Rubber or vinyl gloves recommended when handling solid chemicals or their use solutions.

#### Respiratory Protection

Not normally required if product is used as directed. If exposure limits are exceeded or irritation is experienced, NIOSH/MSHA approved respiratory protection should be worn.

## SECTION 9. PHYSICAL AND CHEMICAL PROPERTIES

### Basic Physical and Chemical Properties

Appearance	Brown.
Odour	Solvent
Odour Threshold	Not available
pH	Not applicable
Melting Point/Freezing Point	60 °C (140 °F) (melting); Not applicable (freezing)
Initial Boiling Point/Range	Not available
Flash Point	Not available
Evaporation Rate	Not applicable
Flammability (solid, gas)	Not applicable
Upper/Lower Flammability or Explosive Limit	Not applicable (upper); Not applicable (lower)
Vapour Pressure	Not applicable
Vapour Density (air = 1)	Not applicable
Relative Density (water = 1)	Not available
Solubility	Soluble in water; Not available (in other liquids)

Product Identifier: Grease Release - Ver. 6

Date of Preparation:

Date of Last Revision: October 24, 2019

Page 05 of 09

<b>Partition Coefficient, n-Octanol/Water (Log Kow)</b>	Not applicable
<b>Auto-ignition Temperature</b>	Not applicable
<b>Decomposition Temperature</b>	Not available
<b>Viscosity</b>	Not applicable (kinematic); Not applicable (dynamic)
<b>Other Information</b>	
<b>Physical State</b>	Solid
<b>Use Dilution</b>	Use dilution pH is 11.5 - 12.5 pH
<b>VOC Content</b>	VOC Content (%) = 25-35%

## SECTION 10. STABILITY AND REACTIVITY

### Reactivity

None known.

### Chemical Stability

Normally stable.

### Possibility of Hazardous Reactions

None expected under normal conditions of storage and use.

### Conditions to Avoid

None known.

### Incompatible Materials

None known.

### Hazardous Decomposition Products

None known.

## SECTION 11. TOXICOLOGICAL INFORMATION

### Likely Routes of Exposure

Skin contact; eye contact.

### Acute Toxicity

Chemical Name	LC50	LD50 (oral)	LD50 (dermal)
Potassium hydroxide	Not available	273 mg/kg (rat)	Not available
Benzenesulfonic acid, C10-16-alkyl derivatives	Not available	1470 mg/kg (rat)	> 2000 mg/kg (rat)
2-Butoxyethanol	2.21 mg/L (rat) (4-hour exposure)	470 mg/kg (rat)	400 mg/kg (rabbit)

LC50: No information was located.

LD50 (oral): No information was located.

LD50 (dermal): No information was located.

### Skin Corrosion/Irritation

Causes severe skin burns.

### Serious Eye Damage/Irritation

Causes serious eye damage.

### STOT (Specific Target Organ Toxicity) - Single Exposure

#### Inhalation

May cause irritation of respiratory tract.

#### Ingestion

Product Identifier: Grease Release - Ver. 6

Date of Preparation:

Date of Last Revision: October 24, 2019

Page 06 of 09

Harmful if swallowed. Ingestion may cause gastrointestinal irritation, nausea, vomiting and diarrhea.

**Aspiration Hazard**

No information was located.

**STOT (Specific Target Organ Toxicity) - Repeated Exposure**

No information available.

**Respiratory and/or Skin Sensitization**

No information available.

**Carcinogenicity**

Chemical Name	IARC	ACGIH®	NTP	OSHA
2-Butoxyethanol	Group 3	A3		

Group 3 – Not classifiable as to its carcinogenicity to humans.

A3 – Confirmed animal carcinogen.

**Reproductive Toxicity**

**Development of Offspring**

No information was located.

**Sexual Function and Fertility**

No information was located.

**Effects on or via Lactation**

No information was located.

**Germ Cell Mutagenicity**

Not mutagenic.

**Interactive Effects**

No information was located.

**Other Information**

-----  
**PRODUCT AT USE DILUTION**

Inhalation: May cause irritation of respiratory tract.

Eye Contact: Causes serious eye damage

Skin Contact: Causes severe skin burns

Ingestion: Harmful if swallowed. Ingestion may cause gastrointestinal irritation, nausea, vomiting, and diarrhea.

**SECTION 12. ECOLOGICAL INFORMATION**

**Ecotoxicity**

Harmful, with long lasting effects to aquatic life, based on acute toxicity tests.

**Acute Aquatic Toxicity**

Chemical Name	LC50 Fish	EC50 Crustacea	ErC50 Aquatic Plants	ErC50 Algae
Potassium hydroxide	80 mg/L (96-hour)	Not available	Not available	Not available
Benzenesulfonic acid, C10-16-alkyl derivatives	0.97 mg/L (Oncorhynchus mykiss (rainbow trout); 96-hour; static)	2.9 mg/L (Daphnia magna (water flea); 48-hour)	Not available	0.97 mg/L (96-hour)
2-Butoxyethanol	1490 mg/L (Lepomis macrochirus (bluegill); 96-hour)	Not available	Not available	Not available

Product Identifier: Grease Release - Ver. 6

Date of Preparation:

Date of Last Revision: October 24, 2019

**Persistence and Degradability**

No information available.

**Bioaccumulative Potential**

No information was located.

**Mobility in Soil**

No information was located.

**Other Adverse Effects**

There is no information available.

**SECTION 13. DISPOSAL CONSIDERATIONS****Disposal Methods**

Dispose of contents and container in accordance with local, regional, national and international regulations.

**SECTION 14. TRANSPORT INFORMATION**

Regulation	UN No.	Proper Shipping Name	Transport Hazard Class(es)	Packing Group
US DOT	UN3262	Corrosive Solid, basic, inorganic, n.o.s. (Potassium hydroxide)	8	II

**Environmental Hazards** Not applicable**Special Precautions** Not applicable**Transport in Bulk According to Annex II of MARPOL 73/78 and the IBC Code**

Not applicable

**Emergency Response Guide No.** 154**SECTION 15. REGULATORY INFORMATION****Safety, Health and Environmental Regulations****Canada****Domestic Substances List (DSL) / Non-Domestic Substances List (NDSL)**

All ingredients are listed on the DSL/NDSL.

**USA****Toxic Substances Control Act (TSCA) Section 8(b)**

All ingredients are listed on the TSCA Inventory.

**Additional USA Regulatory Lists**

SARA Title III - Section 313:

Section 313 of Title III of the Superfund Amendments and Reauthorization Act of 1986 (SARA). This product does contain chemicals which are subject to the reporting requirements of the Act and Title 40 of the Code of Federal Regulations, Part 372.

Chemical Name	CAS-No	Weight %	SARA 313 - Threshold Values %
2-Butoxyethanol	111-76-2	25-35	1.0.

SARA Title III - Section 311/312:

Acute Health Hazard	Yes
Chronic Health Hazard	No
Fire Hazard	No

Product Identifier: Grease Release - Ver. 6

Date of Preparation:

Date of Last Revision: October 24, 2019

Page 08 of 09



Sudden Release of Pressure Hazard No  
Reactive Hazard No

California Proposition 65  
This product contains no Proposition 65 chemicals.

U.S. EPA Label Information  
EPA Registration Number : Not applicable.

**Clean Water Act**

This product contains the following substances which are regulated pollutants pursuant to the Clean Water Act (40 CFR 122.21 and 40 CFR 122.42):

CWA - Hazardous Substances :. (2-Butoxyethanol)  
CWA - Hazardous Substances :. (Potassium hydroxide)

**CERCLA**

This material, as supplied, contains one or more substances regulated as a hazardous substance under the Comprehensive Environmental Response Compensation and Liability Act (CERCLA) (40 CFR 302):

Hazardous Substances RQs:  
2-Butoxyethanol 5000 lb final RQ/ RQ 2270 kg final RQ  
Potassium Hydroxide 1000 lb final RQ/ RQ 454 kg final RQ

**U.S. State Right-to-Know Regulations**

New Jersey Right To Know:. (2-Butoxyethanol)  
Massachusetts Right To Know:. (2-Butoxyethanol)  
Pennsylvania Right To Know:. (2-Butoxyethanol)  
Illinois Right to Know:. (2-Butoxyethanol)  
Rhode Island:. (2-Butoxyethanol)

New Jersey Right To Know:. (Potassium hydroxide)  
Massachusetts Right To Know:. (Potassium hydroxide)  
Pennsylvania Right To Know:. (Potassium hydroxide)  
Rhode Island:. (Potassium hydroxide)

**SECTION 16. OTHER INFORMATION**

**NFPA Rating**            **Health - 3**    **Flammability - 1**    **Instability - 0**

**SDS Prepared By**     Sunburst Chemicals.

**Phone No.**            952-884-3144

**Date of Last Revision**    October 24, 2019

**Additional Information** -----  
PRODUCT AT USE DILUTION

NFPA Rating Health – 3    Flammability - 0    Instability – 0  
-----

Product Identifier:            Grease Release - Ver. 6

Date of Preparation:

Date of Last Revision:        October 24, 2019